

---


# ANALOG CONTROL MODULE

---

DESIGNED FOR USE WITH THE 200 SERIES RTU FAMILY, DFS RTU MODULES ARE ASSEMBLED FROM THE HIGHEST QUALITY COMPONENTS AND DESIGNED TO MAXIMIZE USABILITY WHILE MINIMIZING INSTALLATION, MAINTENANCE, AND DOWNTIME.

The Analog Control Module (ACM) is a microprocessor-controlled multiple-output module used to control from one (1) to four (4) analog outputs. Each output provides 0-20 mA with 12-bit accuracy. The rate of change (slew rate) of each point is configured over the radio link.

An analog monitor point – at the same RTU or at any other TAC II RTU – can automatically control any of the ACM's outputs. This is configured at the central site computer and is available for an unlimited number of control points.



---

## FEATURES AT A GLANCE

- 4 analog output points
- 12-bit digital-to-analog converter
- 1200 or 9600 baud communication
- On-board communications and functional firmware
- On-board voltage regulation
- LEDs for power, receive data, transmit data, and CPU failure
- Surge protected (nondestructive)
- Removable without disturbing field wiring
- No on-board adjustments, switches or straps (self-configuring)
- Keyed to prevent damage

## SPECIFICATIONS

Model	ACM002
Board Size	5.25" x 6.88"
Output	0-20 mA
Maximum Load	1000 Ohm
Power Requirements	10-14 VDC, 200 mA
LEDs	Power, receive data, transmit data, CPU failure

## TYPICAL APPLICATIONS

- Pump Speed Control
- Valve Position Control
- Gate Position Control
- Flow Control
- Pressure Control
- Level Control
- Chemical Injection Control
- Remote Set-Point Control

## WARRANTY

This product carries a one (1) year return-to-factory warranty against defects in material and workmanship. When installed with factory recommended surge protection, the return-to-factory warranty is extended to three (3) years. The extended warranty also covers damage due to lightning and surge for the entire three-year period when installed per factory-approved requirements. DFS will repair or replace at its option, F.O.B. Melbourne, Florida, any part or parts of this product during the warranty period. A Return Authorization (RA) must be obtained by contacting the DFS Factory Repair Center at 321-259-5009 or by email at [rma@dataflowsys.com](mailto:rma@dataflowsys.com).